

## National Center for Biological Sciences

Tata Institute of Fundamental Research

GKVK, Bellary Road, Bangalore 560 065. India

Tel. No: 080 2366, 6344 Email: sampattuks@ncbs.res.in,www.ncbs.res.in

### **ENQUIRY**

Ref: NCB/CA18-131/181637

LCQMS000342 SITC of Telephones

December 17, 2018

2.00

1.00

NOS

NO

Dear Sirs

14

Please let us have your Quotation for the following:				
S.No.	Item Code	Description	Qty	UOM
1	LCQMS000331	SITC of 55" TV Display with suitable wall mount bracket.	1.00	NO
2	LCQMS000332	SITC of Long Throw LCD Projector	1.00	NO
3	LCQMS000333	Projector Screen of 6 x 4 Size	1.00	NO
4	LCQMS000334	SITC of Video Conference Equipment	1.00	NO
5	LCQMS000335	SITC of Audio Conference Equipment.	1.00	NO -
6	LCQMS000344	VGA male to male with audio cable of 3 mtrs	3.00	NOS
7	LCQMS000345	VGA male to male with audio cable of 5 mtrs	3.00	NOS
8	LCQMS000336	VGA male to male with audio cable of 10 mtrs	2.00	NOS
. 9	LCQMS000337	HDMI male to male cable of Version 2.0 of 3mtrs	3.00	NOS
10	LCQMS000338	HDMI male to male cable of Version 2.0 of 5mtrs	3.00	NOS
11	LCQMS000339	HDMI male to male cable of Version 2.0 of 10mtrs	2.00	NO
12	LCQMS000340	SS wall plate with back box with HDMI, VGA and Audio with all connectors to be terminated.	2.00	NOS
13	LCQMS000341	Telephone Cat 6 cables.	30.00	MTR

LCQMS000343 Supply, Installation, Termination and commissioning charges

The bids are liable to be rejected if the sealed envelope is not addressed to "THE HEAD-PURCHASE? with Tender Ref No. and Item Description and due date. The bids delivered in person shall be dropped in Purchase Section. If the bids are sent through courier or mail, it should reach by submission date and time and NCBS will not be responsible for the delay.

2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS 04/01/2019 BY 5.30PM.

#### 3.OUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.

- 4. The validity of your quotation should be for 60 days from the due date.
- 5.All duties, taxes, surcharge and cess as currently applicable must be stated in yourquotation, separately. Otherwise your quote is liable to be rejected.
- 6. Your quotation should indicate delivery period & warranty period.
- 7.Delivery to be made to our stores. Please indicate charges, if any extra. Transit Insurance should be done upto NCBS Stores
- 8.If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, please state so and then offer alternative to quality/specifications.
- 9. Payment: within one month after delivery & acceptance/satisfactory installation.
- 10.Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.
- 11. Since we are a public funded research institution, we are exempted from paying Customs duty (Except advolerum duty of 5% + 2%Cess and 1% Cus Sec & High Edu. CESS vide Notification No.51/96 with latest amendments) and excise duty vide Notification No. 10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices

# 12.If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

- 13. Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees. The decision of the arbitrator shall be final and binding on the parties. The venue for arbitration shall be Bangalore. The provisions of the Arbitration and Conciliation Act, 1996 as amended from time to time shall apply. The courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties.
- 14. TIFR is a public funded research institute and is entitled to concessional rate of GST @ 5% for certain items supplied for reresearch purpose vide notification no. 47/2017 and 45/2017 dated 14th Nov, 2017. The offer should be submitted after fully considering the above notification.
- 15. Liquidity Damages:If the equipment/ items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.
- 16. Income Tax at the applicable rates as per the Indian Income Tax Act 1961 will be deducted at source for the services availed / ordered. In case of service provider, the rate of tax deduction shall be at 2% as per Section 194C, and in case of fee for professional / technical services

Yours faithfully For and on behalf of National Centre for Biological Sciences

Head Purchase

Copy to: Prof. / Dr. / Mr. / Mrs. / Ms. / Shri / Smt. ALLWYN V R (NCB-18N2484)

Your Indent Req. No.AVR0180022 Dated:05/12/2018 refers.

Remarks: SITC of Audio Visual equipments for Dendrite & Modification in Dean & Head academic office.

#### NCBS Enquiry No.181637(c)

#### **Specification for Display**

The system should have display size of 55"

The system should have brightness of 350 cd/m2 or more.

The system should have resolution of 1920 x 1080 (Full HD).

The system should have input terminal of 4 x HDMI ports,  $1 \times VGA$ ,  $1 \times DVI$ ,  $2 \times USB$ , 3.5 mm audio input, RCA inputs.

The system should have RJ 45, RS 232 communication ports.

The system should have speaker built-in.

#### Specification for Long throw Projector

The system should have lumens of 4500 ANSI

The system should have display type of 3 LCD technology based

The system should have resolution support of XGA (1024×768) to WUXGA (1920×1200)

The system should be compatible with the window based PC, Macintosh, Unix/Linus

The system should Support video compatibility for NTSC, NTSC 4.43, PAL,

PAL-M, PAL- N, SECAM, HDTV (1080p, 720P).

The system should support the aspect ratio of 4:3,16:9,16:10.

The system should have the following input of 2HDMI,2VGA,2 S-video,2 Composite,1RGB component.

The system should have 2VGA outputs.

The system should have 2RCA Audio, 2 Stereo mini jack audio output option.

The system should have remotely controllable options with RS232, RJ45 LAN, USB Type B options.

The system should have the contrast ratio of 3000:1

The system should have the sync compatibility of separate sync/composite sync.

The system should have wireless connectivity option as well for Projection.

The system should support the projection distance of 6ft to 8ft.

The system should have the horizontal keystone correction of  $\pm -25^{\circ}$ .

The system should have the vertical keystone correction of+/-40°.

The system should have the Lamp hours of 6000hrs in ECO mode and 4500 hrs in Normal mode.

The system should have very low audible noise level.

The system should be supplied with the required accessories for the functioning of the system.

The system should operate at 230V.50Hz.

The system should be CE/ISO Certified.

The system's Lamp warranty should be for 1 year.

The system must be under the warranty period of 3 years.

The system should be supplied with 4 x 6 Portable screen with tripod stand.

#### **Specification of Video Conferencing System**

The system should support Video Standard and Protocols H 261, H 263, H 264 High profile, H 323 Protocols, TIP, SIP.

The system should have video Inputs for 2 Camera Inputs, 2 HDMI Inputs, 2 S-video Inputs, 1 DVI-I Inputs, 2 RCA Video inputs.

The system should have 1 HDMI output, 2 DVI-I HD Video out, 1 S-video Out.

The system should have people Video Resolution up to 1080p, 60 fps from 832 Kbps.

The system should support content video Resolution from HD (1920 x 1080) to VGA (800 x 600).

The system should support content output resolution of 1080p, 720p, 1024 x 768.

The system should have the camera of Eagle Eye or Similar with 20x Zoom option with cables option for 2 cameras to be connected.

The system should provide with PTZ Camera with 1080p True HD camera, -100/ +100 deg PAN and -30 to +30 deg Tilt range, 20x Zoom option, Automatic gain control.

The system should have 3 audio Inputs with 3 Microphones provided, 1 stereo (3.5mm jack input), 2 Line level stereo inputs (RCA), 1 VCR / DVD stereo audio input (RCA).

The system should have audio Outputs of

Two RCA (L / R) for I Monitor for connecting to main monitor.

Two RCA (L / R) for VCR - for connecting to video recorder.

The system should be equipped with audio standard protocols and features as follows Stereo sound effects, 22 KHz/ 16 KHz, High Definition audio, Three-way audio add-on call capability in the speakerphone, Packet loss concealment, Full duplex for natural conversations, Echo cancellation for echo-free calls, Automatic gain control, Automatic noise reduction.

The system should have following features in built in the codec

Auto Gain control, Automatic Noise suppression.

30 frames per second from 128 kbps.

Should be possible to have good video display at minimum data rate

Should have user friendly graphical user interface.

Should support of PPPoE protocol.

Should have Multi Level passwords apart from Admin password.

Minimum 20 Local preset positions to focus on local Participants and Remote preset positions to focus on Remote participants.

Should have 16:9 video support format for better lengthy video window.

Should be possible to reselect the page for incoming and outgoing calls.

Should support Do not disturb and when active your system should not ring and all incoming calls shall be rejected.

The system should work on H 323 Network protocol, SIP Protocol up to 6 Mbps, 10/100 auto NIC (RJ 45).

The system Should have RS 232 camera controls, Data pass through option available.

The system should have PIP function in order to view the local video and other far end sites in any convenient corner.

The system should be supplied with Cameras with cables, Microphones with cables required for its functional.

The offer should include the Multipoint Option with License key for 4 Parties and more.

The system should be supplied with Infra Red remote control for user friendly operations.

The system should have 2 Ethernet Ports (2 RJ 45) of full duplex with integrated switch for connecting IP network on one port and Laptop on another port.

The system should be supported with DUAL MONITOR emulsion option to enable to transmit and view the Presenter and Presentation or local and remote sites in TWO Dual Monitor emulation on a single monitor (PoP) separate monitors.

Provide the reference of places where the quoted Video conference system is installed.

The system should be supplied with all the accessories required to function

The system should be supplied with required Audio, video, power, camera, mike, LAN Cables etc.

The system should be CE / ISO Certified.

The system should be supplied with the warranty period for 3 Years.



#### Specification for Audio Conference Equipment.

The system should be equipped with the latest technology to deliver the crystal clear conversation to make the conference call more productive supported.

The system should be equipped with intelligent microphones and Dynamic Noise reduction technology.

The system be free from interference from mobile phones.

The system should have backlight display.

The system should have ability and option to increase microphone sensitivity.

The system should have facility for Internet calling over IP.

The system should be compatible with Analogue extension lines, Digital extension lines and IP lines and should be user friendly in connection.

The system should have keypad with the dialling number, redial, conference buttons etc. The system should have at-least 3 cardioids microphones to pick the voice from the distance of approx 10 to 15 feet.

The system should have built in loud speaker system with the frequency response of 300 to 4000 Hz with volume increase and decrease option.

The system should have reverberation time of < 0.4 seconds.

The system should support multiple caller ID standards.

The system should have auxiliary audio jacks.

The system should be supplied with the cord and cord should be minimum 7-meter length. The system should be supplied with the all the accessories required for the functioning of the equipment.

The system should be CE/ ISO certified.

The system should be under warranty period of three years.

